

Brief introduction to Asynchronous JavaScript

WASA: Web and Software Architecture

Enrico Bassetti

A **Promise** is an object that refer to a future value (a.k.a. “proxy”).

If a function returns a Promise, it means that the return value will be available in the future (the execution is asynchronous).

To use a Promise, you need to specify a function that is executed when the result is available, and a function that is executed if something goes wrong.

A Promise is in one of these states:

- *pending*: before starting, or async code is running
- *fulfilled*: the operation was completed successfully
- *rejected*: the operation failed

Let's assume that *doSomething()* is returning a Promise.

```
doSomething().  
  then((result) => {  
    // Do something with the result  
  })  
  .catch((error) => {  
    // Do something with the error  
  })
```

Execution is asynchronous!

```
var txt;  
doSomething().  
  then((result) => {  
    txt = result;  
  })  
  .catch((error) => {  
    // Do something with the error  
  });  
// The following alert may be executed BEFORE txt is set  
alert(txt);
```

The **async-await** pattern is a way of writing asynchronous code using the “synchronous” style.

Functions that needs to use this style should be declared as *async*.

Note: this is *syntactic sugar*. The code is still asynchronous, and you should be aware of that.

Async-await example

E.g., this code:

```
function buttonClicked() {
  doSomething().then((result) => {
    alert(result);
  }).catch((error) => {
    // Do something with the error
  });
}
```

Code in *async-await* pattern:

```
async function buttonClicked() {
  let txt = await doSomething();
  alert(txt);
}
```